

# Clyde Beach Area

## Lake Washington Watershed

City Basin Population (2000): 2,138


Basin Areas: 292	Total Acres
City	220 Acres
Clyde Hill	40 Acres
Medina	32 Acres

Land Use Within the City Area	
Single family residential	60%
Multi-family residential	8%
Commercial/Office	1%
Industrial	0%
Institutional/Government	3%
Open Space/Park	2%
Mixed use/Misc.	0%
Public streets	25%

Drainage Jurisdictions: Bellevue, Clyde Hill  
Medina

% Impervious	45%
Basin Relief	ft
Basin Energy	
Basin Length	mi
Average Basin Width	mi

Total Length of Open Channel N/A



SCALE 1" = 2400'

**Fish Use:** All salmon use the nearshore area of Lake Washington at some stage of their life history. Sockeye salmon are known to spawn at Meydenbauer and Clyde Beach Parks. They likely spawn at any location along the shoreline that has gravel substrate and upwelling water conditions. Juvenile chinook rear along the shoreline from January through June, with the most abundance occurring between March and mid-May. The chinook juveniles are typically found in less than two feet depth and seem to prefer sand and gravel substrates. Both juvenile and adult chinook appear to actively select holding areas near tributary mouths or other freshwater sources.